

**MURRAY**  
*Get it done. Go have fun.*



Products Catalog **2017**



## Walk Mowers

Murray® push mowers are powerful & reliable to help you get the job done quickly. Keep you lawn trimmed and neat with these walk mowers.





Model	866079
<b>Torque / Rating</b>	4,5 ft.lbs gross
<b>Fuel</b>	Gasoline
<b>Displacement / Engine Type</b>	125cc / 4 stroke
<b>Fuel Tank</b>	0,8 liters
<b>Cutting Positions</b>	5 - positions
<b>Cylinders</b>	1 - OHV
<b>Deck / Blades</b>	20" / 1 Blade
<b>Prime 'N Pull'™ / ReadyStart®</b>	Prime N' Pull™
<b>Warranty</b>	2 years Residential Warranty 90 Commercial use



Model	21P55L30	21P62H20
<b>Torque / Rating</b>	5,5 ft.lbs gross	6,25 ft.lbs gross
<b>Fuel</b>	Gasoline	Gasoline
<b>Displacement / Engine Type</b>	140cc / 4 stroke	150cc / 4 stroke
<b>Fuel Tank</b>	0,8 liters	0,8 liters
<b>Cutting Positions</b>	5 - positions	5 - positions
<b>Cylinders</b>	1 - OHV	1 - OHV
<b>Deck / Blades</b>	21" / 1 Blade	21" / 1 Blade
<b>Prime 'N Pull'™ / ReadyStart®</b>	ReadyStart®	Prime N' Pull™
<b>Warranty</b>	2 years Residential Warranty 90 Commercial use	2 years Residential Warranty 90 Commercial use

Images for illustrative purposes and subject to change.  
All power levels are stated gross torque at 2600 RPM per SAE J1940 as rated by Briggs & Stratton.  
See operator's manual or dealer for complete warranty details. Length of engine warranty coverage varies by manufacturer.  
Product subject to stock availability.

Images for illustrative purposes and subject to change.  
All power levels are stated gross torque at 2600 RPM per SAE J1940 as rated by Briggs & Stratton.  
See operator's manual or dealer for complete warranty details. Length of engine warranty coverage varies by manufacturer.  
Product subject to stock availability.





Model	21P68H30	22S68H30
<b>Torque / Rating</b>	6,75 ft.lbs gross	6,75 ft.lbs gross
<b>Fuel</b>	Gasoline	Gasoline
<b>Displacement / Engine Type</b>	163cc / 4 stroke	163cc / 4 stroke
<b>Fuel Tank</b>	1,1 liters	1,1 liters
<b>Cutting Positions</b>	5 – positions	5 – positions
<b>Cylinders</b>	1 – OHV	1 – OHV
<b>Deck / Blades</b>	21" / 1 Blade	22" / 1 Blade
<b>Prime 'N Pull™ / ReadyStart®</b>	ReadyStart®	ReadyStart®
<b>Rear Wheel Width</b>	11"	12"
<b>Warranty</b>	2 years Residential Warranty 90 Commercial use	2 years Residential Warranty 90 Commercial use







## Handhelds

The Murray® handhelds are perfect for small and tight spaces, sloping areas and for finishing your lawn and garden





Model	883004	866015	866019
<b>Displacement / Engine Type</b>	<b>26cc / 2-stroke</b>	<b>32,6cc / 2-stroke</b>	<b>42,7cc / 2-stroke</b>
<b>Power Rating</b>	1.0hp / 0.75kw net	1.2hp / 0.9kw net	1.7hp / 1.25kW net
<b>Shaft Diameter</b>	22mm	8mm	8mm
<b>Shaft Length</b>	-	1503mm	1503mm
<b>Fuel Tank</b>	0,4L	0,9L	1,2L
<b>Gas/Oil Fuel Ratio</b>	25:1	25:1	25:1
<b>Carburator / Spark Plug</b>	Walbro / NGK	Walbro / NGK	Walbro / NGK
<b>Shaft Type</b>	Split - Straight	Straight	Straight
<b>Handle</b>	Loop	Bike Handle	Bike Handle
<b>Strap</b>	-	5 points	5 points
<b>Cutting Head</b>	Nylon 3,0mm	Nylon / Blade	Nylon / Blade



MCE1437



MCE1640



MCS1845

Model	MCE1437	SPCE1640	MCE1640	MCS1845
<b>Displacement</b>	<b>37cc</b>	<b>45cc</b>	<b>40cc</b>	<b>45cc</b>
<b>Bar Length</b>	14"	16"	16"	18"
<b>Gas/Oil Fuel Ratio</b>	25:1	25:1	25:1	25:1
<b>Bar and Chain</b>	Oregon	Oregon	Oregon	Oregon
<b>Chain Pitch and Gauge</b>	3/8" x 0.05" Microchisel	3/8" x 0.05" Microchisel	3/8" x 0.05" Microchisel	0.325" x 0.058" Microchisel
<b>Carburator</b>	Walbro WT-840A	Walbro WT-840A	Walbro WT-840A	Walbro WT-893A
<b>Spark Plug</b>	Champion - CJ7Y	Champion - CJ7Y	Champion - CJ7Y	Champion - CJ7Y
<b>Weight</b>	4.2Kg	4.5Kg	4.5Kg	5.7Kg
<b>Blade Cover</b>	Yes	Yes	Yes	Yes

Images for illustrative purposes and subject to change.  
 Engine power rated by engine manufacturer. See operator's manual or dealer for complete warranty details.  
 Length of engine warranty coverage varies by manufacturer.  
 Product subject to stock availability.

Images for illustrative purposes and subject to change.  
 Engine power rated by engine manufacturer. See operator's manual or dealer for complete warranty details.  
 Length of engine warranty coverage varies by manufacturer.  
 Product subject to stock availability.





## Riding Mowers

Count on the Murray® line of riding mowers to help you tackle your lawn chores – from small to large lawns that require you to cut through tall grass and maneuver over hills.





Model	38L14G50	42L14G60
<b>Torque / Rating</b>	14,5hp gross	14,5hp gross
<b>Fuel</b>	Gasoline	Gasoline
<b>Displacement / Engine Type</b>	500cc / 4 stroke	500cc / 4 stroke
<b>Fuel Tank</b>	4,7 liters	4,7 liters
<b>Transmission</b>	6 speed	6 speed
<b>Cylinders</b>	1 - OHV	1 - OHV
<b>Deck / Blades</b>	38" / 2 Blades	42" / 2 Blades
<b>Choke</b>	Manual	Manual
<b>Electric Start</b>	Yes	Yes
<b>Warranty</b>	6 months	6 months



Model	42L17G60	48L20AH0
<b>Torque / Rating</b>	17,5hp gross	20,0hp gross
<b>Fuel</b>	Gasoline	Gasoline
<b>Displacement / Engine Type</b>	500cc / 4 stroke	656cc / 4 stroke
<b>Fuel Tank</b>	5,7 liters	11,3 liters
<b>Transmission</b>	6 speed	Hidrostatic
<b>Cylinders</b>	1 - OHV	2 - OHV
<b>Deck / Blades</b>	42" / 2 Blades	48" / 3 Blades
<b>Choke</b>	Manual	Manual
<b>Electric Start</b>	Yes	Yes
<b>Warranty</b>	6 months	6 months

Model	48G24G22
<b>Torque / Rating</b>	22,0hp gross
<b>Fuel</b>	Gasoline
<b>Displacement / Engine Type</b>	724cc / 4 stroke
<b>Fuel Tank</b>	15,1 liters
<b>Transmission</b>	Hidrostatic
<b>Cylinders</b>	2 - OHV
<b>Deck / Blades</b>	48" / 3 Blades
<b>Choke</b>	Manual
<b>Electric Start</b>	Yes
<b>Warranty</b>	6 months



Images for illustrative purposes and subject to change.  
 All power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton.  
 See operator's manual or dealer for complete warranty details. Length of engine warranty coverage varies by manufacturer.  
 Product subject to stock availability.

Images for illustrative purposes and subject to change.  
 All power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton.  
 See operator's manual or dealer for complete warranty details. Length of engine warranty coverage varies by manufacturer.  
 Product subject to stock availability.





## Accessories

Tidy up your landscaping or mulch your grass clippings with Murray's tools that help you complete a variety of yard accessories







ACC Ride

Model	G422SL	7600106	G38SL
Description	Bagger	Bagger	Bagger
Application	Tractor	Zero Turn	Tractor
Cutting Deck	42"	46" / 52"	38"
Capacity	215,2 liters	339,8 liters	215,2 liters
Bags / Bins	2	3	2
Warranty	1 year	1 year	1 year



ACC Ride

Model	1696470	G483ST	G543ST
Description	Bagger	Bagger	Bagger
Application	Tractor	Tractor	Tractor
Cutting Deck	46"	48"	54"
Capacity	215,2 liters	339,8 liters	339,8 liters
Bags / Bins	2	3	3
Warranty	1 year	1 year	1 year

ACC Ride

Model	1692125	885393	885394
Description	Dump cart	Broadcast Spreader	Roller 18" x 36"
Application	Tractor	Tractor	Tractor
Capacity	10ft <sup>3</sup> / 283,16liters	-	-
Warranty	1 year	1 year	1 year

ACC Ride

Model	885395	885396	885404
Description	Sweeper	Trailer Sprayer	Aerator
Application	Tractor	Tractor	Tractor 42"
Cutting Deck	38"	-	-
Capacity	-	15 gal./ 56,7 liters	-
Warranty	1 year	1 year	1 year

ACC Ride

Model	885405	960720003
Description	Aerator	Bagger
Application	Tractor 42"	Tractor 38"
Cutting Deck	-	38"
Warranty	1 year	1 year

ACC Ride

Model	5600539	1696461
Description	kit, 2-bag collection, 1500/48	Bagger, 42" soft 2-bin
Application	Tractor 48"	Tractor 42"
Cutting Deck	48"	42"
Warranty	1 year	1 year

ACC - Walk

Model	GCK3300
Description	Bagger, 22 in si discharge, Murray
Application	Tractor
Cutting Deck	22"
Warranty	1 year





## Get it done. Go have fun.

Affordable and efficient, Murray products have been getting the job done for over 90 years. Exclusively powered by the world's leading small engines from Briggs & Stratton, Murray is a perfect fit for today's consumers who are seeking reliable, high-value products to simplify their busy lifestyles.

---

comercial@basco.com  
+55 (41) 3211-4040  
<https://www.murray.com/la/en>

 **MURRAY**